

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory Report

for

Chameleon Beverage Company
Chameleon Beverage Company
6444 E 26TH ST
COMMERCE, CA 90040-3214
Attention: Araceli Ramirez

Date of Issue

07/22/2021

Rachelle Arada

EUROFINS EATON
ANALYTICAL, LLC

L6NW: Rachelle Arada
Project Manager

Report: 943165
Project: ANNUAL
Group: annual-50 state



Utah ELCP CA00006

* Accredited in accordance with TNi 2016 and ISO/IEC 17025:2017.

* Laboratory certifies that the test results meet all **TNi 2016 and ISO/IEC 17025:2017** requirements unless noted under the individual analysis.

* Following the cover page are State Certification List, ISO 17025 Accredited Method List, Acknowledgement of Samples Received, Comments, Hits Report,

Data Report, QC Summary, QC Report and Regulatory Forms, as applicable.

* Test results relate only to the sample(s) tested.

* Test results apply to the sample(s) as received, unless otherwise noted in the comments report (ISO/IEC 17025:2017).

* This report shall not be reproduced except in full, without the written approval of the laboratory.

STATE CERTIFICATION LIST

State	Certification Number	State	Certification Number
Alabama	41060	Montana	Cert 0035
Arizona	AZ0778	Nebraska	Certified
Arkansas	Certified	Nevada	CA000062018
California	2813	New Hampshire *	2959
Colorado	Certified	New Jersey *	CA 008
Connecticut	PH-0107	New Mexico	Certified
Delaware	CA 006	New York *	11320
Florida *	E871024	North Carolina	06701
Georgia	947	North Dakota	R-009
Guam	18-005R	Oregon *	CA200003-005
Hawaii	Certified	Pennsylvania *	68-565
Idaho	Certified	Puerto Rico	Certified
Illinois *	200033	Rhode Island	LAO00326
Indiana	C-CA-01	South Carolina	87016
Iowa - Asbestos	413	South Dakota	Certified
Kansas *	E-10268	Tennessee	TN02839
Kentucky	90107	Texas *	T104704230-18-15
Louisiana *	LA180000	Utah (Primary AB) *	CA00006
Maine	CA0006	Vermont	VT0114
Maryland	224	Virginia *	460260
Commonwealth of Northern Marianas Is.	MP0004	Washington	C838
Massachusetts	M-CA006	EPA Region 5	Certified
Michigan	9906	Los Angeles County Sanitation Districts	10264
Mississippi	Certified		

* NELAP/TNI Recognized Accreditation Bodies

ISO/IEC 17025 Accredited Method List

The tests listed below are accredited and meet the requirements of ISO/IEC 17025 as verified by the ANSI-ASQ National Accreditation Board/A2LA.
 Refer to Certificate and scope of accreditation (5890) found at: <https://www.eurofinsus.com/Eaton>

SPECIFIC TESTS	METHOD OR TECHNIQUE USED	Environmental (Drinking Water)	Environmental (Waste Water)	Water as a Component of Food and Bev/Bev/ Bottled Water
1,2,3-TCP (5 PPT & 0.5 PPT)	CA SRL 524M-TCP	x		x
1,4-Dioxane	EPA 522	x		x
2,3,7,8-TCDD	Modified EPA 1613B	x		x
Acrylamide	In House Method (2440)	x		x
Algal Toxins/Microcystin	In House Method (3570)			
Alkalinity	SM 2320B	x	x	x
Ammonia	EPA 350.1		x	x
Ammonia	SM 4500-NH3 H		x	x
Anions and DBPs by IC	EPA 300.0	x	x	x
Anions and DBPs by IC	EPA 300.1	x		x
Asbestos	EPA 100.2	x	x	
BOD / CBOD	SM 5210B		x	x
Bromate	In House Method (2447)	x		x
Carbamates	EPA 531.2	x		x
Carbonate as CO3	SM 2330B	x	x	x
Carbonyls	EPA 556	x		x
COD	EPA 410.4 / SM 5220D		x	
Chloramines	SM 4500-CL G	x	x	x
Chlorinated Acids	EPA 515.4	x		x
Chlorinated Acids	EPA 555	x		x
Chlorine Dioxide	SM 4500-CLO2 D Palin Test	x		x
Chlorine -Total/Free/ Combined Residual	SM 4500-Cl G	x	x	x
Conductivity	EPA 120.1		x	
Conductivity	SM 2510B	x	x	x
Corrosivity (Langelier Index)	SM 2330B	x		x
Cyanide, Amenable	SM 4500-CN G	x	x	
Cyanide, Free	SM 4500CN F	x	x	x
Cyanide, Total	EPA 335.4	x	x	x
Cyanogen Chloride (screen)	In House Method (2470)	x		x
Diquat and Paraquat	EPA 549.2	x		x
DBP/HAA	SM 6251B	x		x
Dissolved Oxygen	SM 4500-O G		x	x
DOC	SM 5310C	x		x
E. Coli (MTF/EC+MUG)		x		x
E. Coli (CFR 141.21(f)(6)(i))		x		x
E. Coli (SM 9223)	SM 9223		x	
E. Coli (Enumeration)	SM 9221B.1/ SM 9221F	x		x
E. Coli (Enumeration)	SM 9223B	x		x
EDB/DCBP	EPA 504.1	x		
EDB/DBCP and DBP	EPA 551.1	x		x
EDTA and NTA	In House Method (2454)	x		x
Endothall	EPA 548.1	x		x
Endothall	In-house Method (2445)	x		x
Enterococci	SM 9230B	x	x	
Fecal Coliform	SM 9221 E (MTF/EC)	x		
Fecal Coliform	SM 9221C, E (MTF/EC)		x	
Fecal Coliform (Enumeration)	SM 9221E (MTF/EC)	x		x
Fecal Coliform with Chlorine Present	SM 9221E		x	
Fecal Streptococci	SM 9230B	x	x	
Fluoride	SM 4500-F C	x	x	x
Glyphosate	EPA 547	x		x
Glyphosate + AMPA	In House Method (3618)	x		x
Gross Alpha/Beta	EPA 900.0	x	x	x
Gross Alpha Coprecipitation	SM 7110 C	x	x	x
Hardness	SM 2340B	x	x	x
Heterotrophic Bacteria	In House Method (2439)	x		x
Heterotrophic Bacteria	SM 9215 B	x		x
Hexavalent Chromium	EPA 218.6	x	x	x

SPECIFIC TESTS	METHOD OR TECHNIQUE USED	Environmental (Drinking Water)	Environmental (Waste Water)	Water as a Component of Food and Bev/Bev/ Bottled Water
Hexavalent Chromium	EPA 218.7	x		x
Hexavalent Chromium	SM 3500-Cr B		x	
Hormones	EPA 539	x		x
Hydroxide as OH Calc.	SM 2330B	x		x
Kjeldahl Nitrogen	EPA 351.2		x	
Legionella	Legiolert	x		x
Mercury	EPA 200.8	x		x
Metals	EPA 200.7 / 200.8	x	x	x
Microcystin LR	ELISA (2360)	x		x
Microcystin, Total	EPA 546	x		x
NDMA	EEA/Agilent 521.1 In house method (2425)	x		x
Nitrate/Nitrite Nitrogen	EPA 353.2	x	x	x
OCL, Pesticides/PCB	EPA 505	x		x
Ortho Phosphate	EPA 365.1	x	x	x
Ortho Phosphorous	SM 4500P E	x		x
Oxyhalides Disinfection Byproducts	EPA 317.0	x		x
Perchlorate	EPA 331.0	x		x
Perchlorate (low and high)	EPA 314.0	x		x
Perfluorinated Alkyl Acids	EPA 537	x		x
Perfluorinated Pollutant	In house Method (2434)	x		x
pH	EPA 150.1	x		
pH	SM 4500-H+B	x	x	x
Phenylurea Pesticides/ Herbicides	In House Method, based on EPA 532 (2448)	x		x
Pseudomonas	IDEXX Pseudalert (2461)	x		x
Radium-226	GA Institute of Tech	x		x
Radium-228	GA Institute of Tech	x		x
Radon-222	SM 7500RN	x		x
Residue, Filterable	SM 2540C	x	x	x
Residue, Non-filterable	SM 2540D		x	
Residue, Total	SM 2540B		x	x
Residue, Volatile	EPA 160.4		x	
Semi-VOC	EPA 525.2	x		x
Silica	SM 4500-Si D	x	x	
Silica	SM 4500-SiO2 C	x	x	
Sulfide	SM 4500-S ²⁻ D		x	
Sulfite	SM 4500-SO ³⁻ B	x	x	x
Surfactants	SM 5540C	x	x	x
Taste and Odor Analytes	SM 6040E	x		x
Total Coliform (P/A)	SM 9221 A, B	x		x
Total Coliform (Enumeration)	SM 9221 A, B, C	x		x
Total Coliform / E. coli	Colisure SM 9223	x		x
Total Coliform	SM 9221B		x	
Total Coliform with Chlorine Present	SM 9221B		x	
Total Coliform / E.coli (P/A and Enumeration)	SM 9223	x		x
TOC	SM 5310C	x	x	x
TOX	SM 5320B		x	
Total Phenols	EPA 420.1		x	
Total Phenols	EPA 420.4	x	x	x
Total Phosphorous	SM 4500 P E		x	
Triazine Pesticides & Degradates	In House (3617)	x		x
Turbidity	EPA 180.1	x	x	x
Turbidity	SM 2130B	x	x	
Uranium by ICP/MS	EPA 200.8	x		x
UV 254	SM 5910B	x		
VOC	EPA 524.2	x		x
VOC	In House Method (2411)	x		x
Yeast and Mold	SM 9610	x		x
Field Sampling	N/A			

Acknowledgement of Samples Received

Addr: **Chameleon Beverage Company**
Chameleon Beverage Company
6444 E 26TH ST
COMMERCE, CA 90040-3214
United States
Attn: Araceli Ramirez
Phone: 3237248223

Client ID: CHAMELEON
Folder #: 943165
Project: ANNUAL
Sample Group: annual-50 state
Project Manager: Rachele Arada
Phone: 626-386-1106

The following samples were received from you on **June 28, 2021 at 1337**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical, LLC.

Sample #	Sample ID	Sample Date
202106280102	CBC 21 175 1302 EXP JUN 24 23 SPRING WATER 350mL	06/28/2021 1337
	@2378-TCDD_Dioxin	@331-PHG
	@505	@504LOW
	@531	@515.4
	@900	@549
	@DBP_14	@ANIONS28
	@ICP	@ANIONS48
	@RA226 GA	@DBP_28
	Alkalinity in CaCO3 units	@HAA
	Asbestos by TEM - >10 microns	@ICPMS
	Carbon Dioxide,Free(25C)-Calc.	@QUANT2000 18HR
	Chloramines	@RA228 GA
	Endothall	@VOA
	Glyphosate	Anion Sum - Calculated
	Langelier Index - 25 degree	Apparent Color
	pH of CaCO3 saturation(25C)	Bromate by UV/VIS
	Specific Conductance	Carbonate as CO3, Calculated
	Total Dissolved Solid (TDS)	Cation Sum - Calculated
	@YMOLD	Chlorine Dioxide
		Cyanide
		Free Chlorine Residual
		Hydroxide as OH, Calculated
		Odor at 60 C (TON)
		Phenolic Compounds-low level
		Total Chlorine Residual
		Turbidity

Test Description

@2378-TCDD_Dioxin -- 2,3,7,8-TCDD_Dioxin

@331-PHG -- Perchlorate by EPA 331.0

@504LOW -- EPA Method 504.1

@505 -- Organochlorine Pesticides/PCBs

@515.4 -- Chlorophenoxy Herbicides

@525 -- Semivolatiles by GCMS

@531 -- Aldicarb

@549 -- Diquat and Paraquat

@551SODA -- EDB/DBCP/HAN by EPA 551.1

@900 -- Gross Alpha/Beta Radiation

@ANIONS28 -- Chloride, Sulfate by EPA 300.0

@ANIONS48 -- Nitrate, Nitrite by EPA 300.0

Acknowledgement of Samples Received

Addr: **Chameleon Beverage Company**
 Chameleon Beverage Company
 6444 E 26TH ST
 COMMERCE, CA 90040-3214
 United States
 Attn: Araceli Ramirez
 Phone: 3237248223

Client ID: CHAMELEON
 Folder #: 943165
 Project: ANNUAL
 Sample Group: annual-50 state
 Project Manager: Rachelle Arada
 Phone: 626-386-1106

The following samples were received from you on **June 28, 2021** at **1337**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical, LLC.

Sample #	Sample ID	Sample Date
	@DBP_14 -- Chlorite by 300.0	
	@DBP_28 -- Disinfection ByProducts by 300.0	
	@HAA -- Haloacetic Acids	
	@ICP -- ICP Metals	
	@ICPMS -- ICPMS Metals	
	@QUANT2000 18HR -- Quantitray Coliforms 18 Hour	
	@RA226 GA -- Radium 226	
	@RA228 GA -- Radium 228	
	@VOA -- Volatile Organics by GCMS	
	@YMOLD -- Yeast and Mold	

750 Royal Oaks Drive, Suite 100
 Monrovia, CA 91016-3629
 Phone: 626 386 1100
 Fax: 626 386 1101
 800 566 LABS (800 566 5227)

CHAIN OF CUSTODY RECORD

EUROFINS EATON ANALYTICAL USE ONLY:

LOGIN COMMENTS: _____

SAMPLES CHECKED AGAINST COC BY: CP

943165

SAMPLES LOGGED IN BY: DM

SAMPLES REC'D DAY OF COLLECTION? (check for yes)

SAMPLE TEMP RECEIVED AT:

Colton / No. California / Arizona _____ °C (Compliance: 4 ± 2 °C)
 Monrovia 27.0 °C (Compliance: 4 ± 2 °C)

CONDITION OF BLUE ICE: Frozen _____ Partially Frozen _____ Thawed _____ Wet Ice _____ No Ice _____
 METHOD OF SHIPMENT: Pick-Up / Walk-In / FedEx / UPS / DHL / Area Fast / Top Line / Other: _____

TO BE COMPLETED BY SAMPLER:

PROJECT CODE: _____ (check for yes)		COMPLIANCE SAMPLES <input type="checkbox"/> NON-COMPLIANCE SAMPLES <input type="checkbox"/>	
COMPANY/AGENCY NAME: Chameleon Beverage Company, Inc.		REGULATION INVOLVED: _____ (check for yes)	
COC ID: _____		TYPE OF SAMPLES (circle one): _____ ROUTINE SPECIAL CONFIRMATION (eg. SDWA, Phase V, NPDES, FDA, ...)	
SAMPLE ID: _____		SEE ATTACHED BOTTLE ORDER FOR ANALYSES <input type="checkbox"/> (check for yes), OR	
TAT requested: rush by adv notice only		list ANALYSES REQUIRED (enter number of bottles sent for each test for each sample)	
STD_X__ 1 wk __ 3 day __ 2 day __ 1 day __		HPC _____	
CLIENT LAB ID _____		P/A _____	
MATRIX: _____		Yeast & Mold _____	
SAMPLE ID _____		Bromate _____	
SAMPLE ID _____		PH _____	
SAMPLE ID _____		TDS _____	
SAMPLE ID _____		Potability Test _____	
SAMPLE ID _____		Title 21 50 States Certificate _____	
SAMPLE ID _____		TOC _____	
SAMPLE ID _____		DNA _____	
SAMPLE ID _____		Foreign Material ID _____	
SAMPLE ID _____		SAMPLER COMMENTS: _____	
SAMPLE ID _____		Bottled Water Product Container	
SAMPLE ID _____		Sampling date dependent on opening of container	
SAMPLE ID _____		_____	
SAMPLE ID _____		_____	
SAMPLE ID _____		_____	
SAMPLE ID _____		_____	
SAMPLE ID _____		_____	
SAMPLE ID _____		_____	
SAMPLE ID _____		_____	
SAMPLE ID _____		_____	
SAMPLE ID _____		_____	

* MATRIX TYPES: RSW = Raw Surface Water CFW = Chlor(am)inated Finished Water SEAW = Sea Water BW = Bottled Water SO = Soil
 RGW = Raw Ground Water FW = Other Finished Water WW = Waste Water SW = Storm Water SL = Sludge

SAMPLED BY: _____ SIGNATURE _____ PRINT NAME: _____
 RELINQUISHED BY: _____ Chameleon Beverage Company, Inc. DATE: 06/24/2021 TIME: _____
 RECEIVED BY: _____ RECEIVED BY: _____
 RECEIVED BY: _____ RECEIVED BY: _____

6.28.21 1337



INTERNAL CHAIN OF CUSTODY RECORD

Eaton Analytical

EEA Folder Number: 94365

SAMPLE TEMP RECEIVED:

Note: If samples are out of temperature range, let the ASMs know. ASMs will determine whether to proceed with analysis or not.

SAMPLES REC'D DAY OF COLLECTION? Yes / No

IR Gun ID = 666 (Observation = 27.2 °C) (Corr.Factor = -0.2 °C) (Final = 27.0 °C) TYPE OF ICE: Real Synthetic No Ice Partially Frozen Thawed N/A

METHOD OF SHIPMENT: Pick-Up / Walk-In / FedEx / UPS / DHL / Area Fast / Top Line / Other: _____

Compliance Acceptance Criteria:

- 1) Chemistry: >0, ≤6°C, not frozen (NELAP) (if received after 24 hrs of sample collection)
- 2) Microbiology, Distribution: < 10°C, not frozen (can be ≥10°C if received on ice the same day as sample collection, within 8 hours)
- 3) Microbiology, Surface Water: < 10°C (if received after 2 hours of sample collection)

If out of temperature range for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrants

1 = (Observation = _____ °C) (Corr.Factor = _____ °C) (Final = _____ °C)	2 = (Observation = _____ °C) (Corr.Factor = _____ °C) (Final = _____ °C)
3 = (Observation = _____ °C) (Corr.Factor = _____ °C) (Final = _____ °C)	4 = (Observation = _____ °C) (Corr.Factor = _____ °C) (Final = _____ °C)

4 Dioxin (1613 or 2,3,7,8 TCDD): must be between 0-4 °C, not frozen (if received after 24 hrs of sample collection)

5) pH Check. Manufacturer: _____ Lot Number: _____ pH strip type: 0 - 14 or _____ Expiration Date _____ Results: _____

6) Chlorine check. Manufacturer: Sansafe. Lot No.: _____ Expiration Date: _____ Results _____

7) VOA and Radon Headspace: No Samples with Headspace: Samples with Headspace (see below):

Headspace Documentation (use additional VOC and Radon Internal COFC for additional bottles)

Exempt from headspace concerns: Methods 815.4, HAA(6251, 552), 505, SPME, @CH, 532LCMS, 556, 536, Anatoxin, LCMS methods using 40 ml vials, International clients:

Samp ID	Bottle #	None/<6 mm	>6mm	Samp ID	Bottle #	None/<6 mm	>6mm

Note Sample IDs which have dissimilar headspace (i.e. potential sampling errors): _____

SIGNATURE <u>Chun Brook</u>	PRINT NAME <u>Chun Brook</u>	COMPANY/TITLE <u>Eurofins Eaton Analytical</u>	DATE <u>6.28.21</u>	TIME <u>1337</u>
--------------------------------	---------------------------------	---	------------------------	---------------------

FROM: (323) 724-8223
Fernanda Ortiz
Chameleon Beverage
6444 E. 26th Street
COMMERCIAL CA 90040
US

SHIP DATE: 24 JUN 21
ACTWTG: 32.00 LB
CAD: 5654016INET4340
BILL SENDER

TO: ATT: Rachelle Arada
EEA LABS

750 ROYAL OAKS DR
STE 100

MONROVIA CA 91016
(626) 386-1100

(US)

REF: TITLE 21

INV: DEPT:



J211321033101uv


1 of 2

TRK# 7740 9450 1391

MASTER

91016

9622 0019 0 (000 000 0000) 0 00 7740 9450 1391



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: IMPORTANT: TRANSMIT YOUR SHIPPING DATA AND PRINT A MANIFEST:

At the end of each shipping day, you should perform the FedEx Ground End of Day Close procedure to transmit your shipping data to FedEx. To do so, click on the Ground End of Day Close Button. If required, print the pickup manifest that appears. A printed manifest is required to be tendered along with your packages if they are being picked up by FedEx Ground. If you are dropping your packages off at a FedEx drop off location, the manifest is not required. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide and applicable tariff, available upon request. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations, including limitations on our liability, can be found in the current FedEx Service Guide and applicable tariff apply. In no event shall FedEx Ground be liable for any special, incidental, or consequential damages, including, without limitation, loss of profit, loss to the intrinsic value of the package, loss of sale, interest income or attorney's fees. Recovery cannot exceed actual documented loss. Items of extraordinary value are subject to separate limitations of liability set forth in the Service Guide and tariff. Written claims must be filed within strict time limits, see current FedEx Service Guide.

FROM: (323) 724-8223
Fernanda Ortiz
Chameleon Beverage
6444 E. 26th Street
COMMERCE CA 90040
US

SHIP DATE: 24 JUN 21
ACTWGT: 32.00 LB
CAD: 5654016INET4340

BILL SENDER

TO ATT. Rachelle Arada
EEA LABS

750 ROYAL OAKS DR
STE 100

MONROVIA CA 91016
(626) 386-1100


(US)

REF: TITLE 21

INV
PO:

DEPT:

56DJ3/B397/FE4A



FedEx
Ground



1211321033101uv


2 of 2

MPS# 7740 9450 1792

Mstr# 7740 9450 1391

91016

9622 0019 0 (000 000 0000) 0 00 7740 9450 1792



After printing this label:
1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: IMPORTANT: TRANSMIT YOUR SHIPPING DATA AND PRINT A MANIFEST:
At the end of each shipping day, you should perform the FedEx Ground End of Day Close procedure to transmit your shipping data to FedEx. To do so, click on the Ground End of Day Close Button. If required, print the pickup manifest that appears. A printed manifest is required to be tendered along with your packages if they are being picked up by FedEx Ground. If you are dropping your packages off at a FedEx drop off location, the manifest is not required. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide and applicable tariff, available upon request. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations, including limitations on our liability, can be found in the current FedEx Service Guide and applicable tariff apply. In no event shall FedEx Ground be liable for any special, incidental, or consequential damages, including, without limitation, loss of profit, loss to the intrinsic value of the package, loss of sale, interest income or attorney's fees. Recovery cannot exceed actual documented loss. Items of extraordinary value are subject to separate limitations of liability set forth in the Service Guide and tariff. Written claims must be filed within strict time limits, see current FedEx Service Guide.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Chameleon Beverage Company
Chameleon Beverage Company
6444 E 26TH ST

Report Date: 07/21/2021
Date Received: 06/28/2021
Sample No: 202106280102

Attention: Araceli Ramirez

Sample Id: CBC 21 175 1302 EXP JUN 24 23 SPRING WATER 350mL
Date Sampled: 6/28/2021

Investigation: Analysis per Title 21, Federal Code of Regulations 165.110 - California Limits

ANALYTICAL RESULTS

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
GROUP I					
PHYSICAL					
Apparent Color (ACU)	SM 2120B	3.0	1	ND ACU	15
Odor at 60 C (TON)	SM 2150B	1.0	1	ND TON	3
pH (Units)	4500HB/E 150	0.10	1	7.5	8.5
Specific Conductance (uS/cm)	SM2510B	2.0	1	160	no std
Total Dissolved Solid (TDS)	SM 2540C	10	1	110	500
Turbidity (NTU)	EPA 180.1	0.10	1	ND NTU	5
GROUP II					
CHEMICAL SUBSTANCE 1					
		Milligrams per Liter			
Alkalinity in CaCO3 units	SM 2320B	2.0	1	52	no std
Aluminum	EPA 200.8	0.020	1	ND	0.2
Antimony	EPA 200.8	0.0010	1	ND	0.006
Arsenic	EPA 200.8	0.0010	1	ND	0.010
Asbestos by TEM - >10 microns (MFL)	EPA 100.2	0.20	1	ND	no std
Barium	EPA 200.8	0.0020	1	0.056	2
Beryllium	EPA 200.8	0.0010	1	ND	0.004
Bicarb Alkalinity as HCO3	SM2330B	2.0	1	64	no std
Cadmium	EPA 200.8	0.00050	1	ND	0.005
Calcium	EPA 200.7	1.0	1	14	no std
Carbonate as CO3	SM2330B	2.0	1	ND	no std
Chloride	EPA 300.0	0.50	1	6.6	250
Chromium	EPA 200.8	0.0010	1	0.0022	0.1
Copper	EPA 200.8	0.0020	1	ND	1.0
Corrosivity (units)	SM 2330B	-14	1	-0.97	no std
Cyanide	SM 4500CN-F	0.025	1	ND	0.1
Fluoride	SM 4500F-C	0.050	1	ND	1.4
Hydroxide as OH	SM2330B	2.0	1	ND	no std
Iron	EPA 200.7	0.010	1	ND	0.3

SOQ=Standard of Quality per FDA or California
ND=Not detected at the specified limit
All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 943165

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Lead	EPA 200.8	0.00050	1	ND	0.005
Magnesium	EPA 200.7	0.10	1	4.2	no std
Manganese	EPA 200.8	0.0020	1	ND	0.05
Mercury	EPA 200.8	0.00020	1	ND	0.002
Nickel	EPA 200.8	0.0050	1	ND	0.1
Nitrate-N	EPA 300.0	0.10	1	0.72	10
Nitrite-N	EPA 300.0	0.050	1	ND	1
Perchlorate	EPA 331.0	0.00050	1	ND	no std
Phenol	EPA 420.4	0.0010	1	ND	0.001
Potassium	EPA 200.7	1.0	1	3.2	no std
Selenium	EPA 200.8	0.0050	1	ND	0.05
Silver	EPA 200.8	0.00050	1	ND	0.1
Sodium	EPA 200.7	1.0	1	11	no std
Sulfate	EPA 300.0	0.50	1	6.2	250
Surfactants (MBAS)	SM 5540C	0.10	1	ND	no std
Thallium	EPA 200.8	0.0010	1	ND	0.002
Total Hardness as CaCO3	EPA 200.7	3.0	1	52	no std
Total Nitrate + Nitrite	EPA 300.0	0.10	1	0.72	10
Zinc	EPA 200.8	0.020	1	ND	5.0
GROUP III					
CHEMICAL SUBSTANCE 2 (VOC)		Milligrams per Liter			
1,1,1,2-Tetrachloroethane	EPA 524.2	0.00050	1	ND	no std
1,1,1-Trichloroethane	EPA 524.2	0.00050	1	ND	0.20
1,1,2,2-Tetrachloroethane	EPA 524.2	0.00050	1	ND	no std
1,1,2-Trichloroethane	EPA 524.2	0.00050	1	ND	0.005
1,1-Dichloroethane	EPA 524.2	0.00050	1	ND	no std
1,1-Dichloroethene	EPA 524.2	0.00050	1	ND	0.007
1,1-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
1,2,3-Trichlorobenzene	EPA 524.2	0.00050	1	ND	no std
1,2,3-Trichloropropane	EPA 524.2	0.00050	1	ND	no std
1,2,4-Trichlorobenzene	EPA 524.2	0.00050	1	ND	0.07
1,2,4-Trimethylbenzene	EPA 524.2	0.00050	1	ND	no std
1,2-Dichloroethane	EPA 524.2	0.00050	1	ND	0.005
1,2-Dichloropropane	EPA 524.2	0.00050	1	ND	0.005
1,3,5-Trimethylbenzene	EPA 524.2	0.00050	1	ND	no std
1,3-Dichloropropane	EPA 524.2	0.00050	1	ND	no std
2,2-Dichloropropane	EPA 524.2	0.00050	1	ND	no std
Benzene	EPA 524.2	0.00050	1	ND	0.005

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 943165

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Bromobenzene	EPA 524.2	0.00050	1	ND	no std
Bromochloromethane	EPA 524.2	0.00050	1	ND	no std
Bromodichloromethane	EPA 524.2	0.00050	1	ND	no std
Bromoform	EPA 524.2	0.00050	1	ND	no std
Bromomethane	EPA 524.2	0.00050	1	ND	no std
Carbon Tetrachloride	EPA 524.2	0.00050	1	ND	0.005
Chlorobenzene	EPA 524.2	0.00050	1	ND	0.1
Chlorodibromomethane	EPA 524.2	0.00050	1	ND	no std
Chloroethane	EPA 524.2	0.00050	1	ND	no std
Chloroform (Trichloromethane)	EPA 524.2	0.00050	1	ND	no std
Chloromethane	EPA 524.2	0.00050	1	ND	no std
cis-1,2-Dichloroethylene	EPA 524.2	0.00050	1	ND	0.07
cis-1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Dibromomethane	EPA 524.2	0.00050	1	ND	no std
Dichlorodifluoromethane	EPA 524.2	0.00050	1	ND	no std
Dichloromethane (MeCl ₂)	EPA 524.2	0.00050	1	ND	0.005
Ethyl benzene	EPA 524.2	0.00050	1	ND	0.7
Fluorotrichloromethane-Freon11	EPA 524.2	0.00050	1	ND	no std
Hexachlorobutadiene	EPA 524.2	0.00050	1	ND	no std
Isopropylbenzene	EPA 524.2	0.00050	1	ND	no std
m,p-Xylenes	EPA 524.2	0.00050	1	ND	no std
m-Dichlorobenzene (1,3-DCB)	EPA 524.2	0.00050	1	ND	no std
Methyl ethyl ketone (MEK, Butanone)	EPA 524.2	0.00050	1	ND	no std
MTBE	EPA 524.2	0.00050	1	ND	no std
n-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
n-Propylbenzene	EPA 524.2	0.00050	1	ND	no std
o-Chlorotoluene	EPA 524.2	0.00050	1	ND	no std
o-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.00050	1	ND	0.6
o-Xylene	EPA 524.2	0.00050	1	ND	no std
p-Chlorotoluene	EPA 524.2	0.00050	1	ND	no std
p-Dichlorobenzene (1,4-DCB)	EPA 524.2	0.00050	1	ND	0.075
p-Isopropyltoluene	EPA 524.2	0.00050	1	ND	no std
sec-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
Styrene	EPA 524.2	0.00050	1	ND	0.1
tert-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
Tetrachloroethylene (PCE)	EPA 524.2	0.00050	1	ND	0.005
Toluene	EPA 524.2	0.00050	1	ND	1
Total 1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 943165

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Total THM	EPA 524.2	0.00050	1	ND	0.010
Total xylenes	EPA 524.2	0.00050	1	ND	10
trans-1,2-Dichloroethylene	EPA 524.2	0.00050	1	ND	0.1
trans-1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Trichloroethylene (TCE)	EPA 524.2	0.00050	1	ND	0.005
Trichlorotrifluoroethane(F113)	EPA 524.2	0.00050	1	ND	no std
Vinyl chloride (VC)	EPA 524.2	0.00030	1	ND	0.002
GROUP IV					
CHEMICAL SUBSTANCE 3 (NON VOC)					
		Milligrams per Liter			
1,2,3-Trichloropropane (TCP)	EPA 504.1	0.000020	1	ND	no std
2,3,7,8-TCDD (ug/L)	EPA 1613B	0.0000000050	1	ND	0.00000003
2,4,5-TP (Silvex)	EPA 515.4	0.00020	1	ND	0.05
2,4-D	EPA 515.4	0.00010	1	ND	0.07
3-Hydroxycarbofuran	EPA 531.2	0.00050	1	ND	no std
Alachlor (Alanex)	EPA 505	0.00010	1	ND	0.002
Aldicarb (Temik)	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfone	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfoxide	EPA 531.2	0.00050	1	ND	no std
Aldrin	EPA 505	0.000010	1	ND	no std
Atrazine	EPA 525.2	0.000050	1	ND	0.003
Baygon	EPA 531.2	0.00050	1	ND	no std
Bentazon	EPA 515.4	0.00050	1	ND	no std
Benzo(a)pyrene	EPA 525.2	0.000020	1	ND	0.0002
Butachlor	EPA 525.2	0.000050	1	ND	no std
Carbaryl	EPA 531.2	0.00050	1	ND	no std
Carbofuran	EPA 531.2	0.00050	1	ND	0.04
Chlordane	EPA 505	0.00010	1	ND	0.002
Dalapon	EPA 515.4	0.0010	1	ND	0.2
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.00060	1	ND	0.4
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.00060	1	ND	0.006
Dibromochloropropane (DBCP)	EPA 504.1	0.000010	1	ND	0.0002
Dibromochloropropane (DBCP)	EPA 551.1	0.000010	1	ND	0.0002
Dicamba	EPA 515.4	0.00010	1	ND	no std
Dieldrin	EPA 505	0.000010	1	ND	no std
Dinoseb	EPA 515.4	0.00020	1	ND	0.007
Diquat	EPA 549.2	0.00040	1	ND	0.02
Endothall	EPA 548.1	0.0050	1	ND	0.1
Endrin	EPA 505	0.000010	1	ND	0.002

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 943165

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Ethylene Dibromide (EDB)	EPA 551.1	0.000010	1	ND	0.00005
Ethylene Dibromide (EDB)	EPA 504.1	0.000010	1	ND	0.00005
Glyphosate	EPA 547	0.0060	1	ND	0.7
Heptachlor	EPA 505	0.000010	1	ND	0.0004
Heptachlor Epoxide	EPA 505	0.000010	1	ND	0.0002
Hexachlorobenzene	EPA 525.2	0.000050	1	ND	0.001
Hexachlorocyclopentadiene	EPA 525.2	0.000050	1	ND	0.05
Lindane (gamma-BHC)	EPA 505	0.000010	1	ND	0.0002
Methiocarb	EPA 531.2	0.00050	1	ND	no std
Methomyl	EPA 531.2	0.00050	1	ND	no std
Methoxychlor	EPA 505	0.000050	1	ND	0.04
Metolachlor	EPA 525.2	0.000050	1	ND	no std
Metribuzin	EPA 525.2	0.000050	1	ND	no std
Oxamyl (Vydate)	EPA 531.2	0.00050	1	ND	0.2
Paraquat	EPA 549.2	0.0020	1	ND	no std
Pentachlorophenol	EPA 515.4	0.000040	1	ND	0.001
Picloram	EPA 515.4	0.00010	1	ND	0.5
Propachlor	EPA 525.2	0.000050	1	ND	no std
Simazine	EPA 525.2	0.000050	1	ND	0.004
Thiobencarb	EPA 525.2	0.00020	1	ND	no std
Total PCBs	EPA 505	0.00010	1	ND	0.0005
Toxaphene	EPA 505	0.00050	1	ND	0.003
GROUP V					
RADIOACTIVITY					
		Picocuries per Liter			
Gross Alpha	EPA 900.0	3.0	1	ND	15
Gross Beta	EPA 900.0	3.0	1	4.6	50
Radium 226	Ra-226 GA	1.0	1	ND	5
Radium 228	Ra-228 GA	1.0	1	ND	5
Uranium (mg/L)	EPA 200.8	0.0010	1	ND	0.03
GROUP VIa					
BACTERIOLOGICAL					
		Colonies/100 mL			
E Coli Bacteria	SM 9223	1.0	1	<1	1
Total Coliform Bacteria	SM 9223	1.0	1	<1	2.2
GROUP VIb					
BACTERIOLOGICAL-HPC					
		Colony Forming Units per mL			
Heterotrophic Plate Count	SM 9215B	1.0	1	<1	no std
GROUP VII					
Disinfection Byproducts					
		Milligrams per Liter			

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 943165

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Bromate	EPA 317	0.0010	1	ND	0.01
Bromide	EPA 300.0	0.0050	1	0.021	no std
Chlorite	EPA 300.0	0.010	1	ND	1
D/DBP Haloacetic Acids (HAA5)	SM 6251B	0.0020	1	ND	0.06
GROUP VIII					
Residual Disinfectants		Milligrams per Liter			
Chloramines	SM 4500CL-G/HACH	0.10	1	ND	4
Chlorine Dioxide	SM 4500CLO2-D/HACH	0.24	1	ND	0.8
Total Chlorine Residual	SM 4500CL-G/HACH	0.10	1	ND	4

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Chameleon Beverage Company
Chameleon Beverage Company
6444 E 26TH ST

Report Date: 07/21/2021
Date Received: 06/28/2021
Sample No: 202106280102

Attention: Araceli Ramirez

Sample Id: CBC 21 175 1302 EXP JUN 24 23 SPRING WATER 350mL
Date Sampled: 6/28/2021

Investigation: Analysis per Title 21, Federal Code of Regulations 165.110 - New York Limits

ANALYTICAL RESULTS

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
GROUP I					
PHYSICAL					
Apparent Color (ACU)	SM 2120B	3.0	1	ND ACU	15
Odor at 60 C (TON)	SM 2150B	1.0	1	ND TON	3
pH (Units)	4500HB/E 150	0.10	1	7.5	8.5
Specific Conductance (uS/cm)	SM2510B	2.0	1	160	no std
Total Dissolved Solid (TDS)	SM 2540C	10	1	110	500
Turbidity (NTU)	EPA 180.1	0.10	1	ND NTU	5
GROUP II					
CHEMICAL SUBSTANCE 1					
		Milligrams per Liter			
Alkalinity in CaCO3 units	SM 2320B	2.0	1	52	no std
Aluminum	EPA 200.8	0.020	1	ND	0.2
Antimony	EPA 200.8	0.0010	1	ND	0.006
Arsenic	EPA 200.8	0.0010	1	ND	0.010
Asbestos by TEM - >10 microns (MFL)	EPA 100.2	0.20	1	ND	no std
Barium	EPA 200.8	0.0020	1	0.056	2
Beryllium	EPA 200.8	0.0010	1	ND	0.004
Bicarb Alkalinity as HCO3	SM2330B	2.0	1	64	no std
Cadmium	EPA 200.8	0.00050	1	ND	0.005
Calcium	EPA 200.7	1.0	1	14	no std
Carbonate as CO3	SM2330B	2.0	1	ND	no std
Chloride	EPA 300.0	0.50	1	6.6	250
Chromium	EPA 200.8	0.0010	1	0.0022	0.1
Copper	EPA 200.8	0.0020	1	ND	1.0
Corrosivity (units)	SM 2330B	-14	1	-0.97	no std
Cyanide	SM 4500CN-F	0.025	1	ND	0.1
Fluoride	SM 4500F-C	0.050	1	ND	1.4
Hydroxide as OH	SM2330B	2.0	1	ND	no std

SOQ=Standard of Quality per FDA or New York
ND=Not detected at the specified limit
All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 943165

Sample Id: CBC 21 175 1302 EXP JUN 24 23 SPRING WATER 350mL
Date Sampled: 6/28/2021

Report Date: 07/21/2021
Date Received: 06/28/2021
Sample No: 202106280102

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Iron	EPA 200.7	0.010	1	ND	0.3
Lead	EPA 200.8	0.00050	1	ND	0.005
Magnesium	EPA 200.7	0.10	1	4.2	no std
Manganese	EPA 200.8	0.0020	1	ND	0.05
Mercury	EPA 200.8	0.00020	1	ND	0.002
Nickel	EPA 200.8	0.0050	1	ND	0.1
Nitrate-N	EPA 300.0	0.10	1	0.72	10
Nitrite-N	EPA 300.0	0.050	1	ND	1
Perchlorate	EPA 331.0	0.00050	1	ND	no std
Phenol	EPA 420.4	0.0010	1	ND	0.001
Potassium	EPA 200.7	1.0	1	3.2	no std
Selenium	EPA 200.8	0.0050	1	ND	0.05
Silver	EPA 200.8	0.00050	1	ND	0.1
Sodium	EPA 200.7	1.0	1	11	no std
Sulfate	EPA 300.0	0.50	1	6.2	250
Surfactants (MBAS)	SM 5540C	0.10	1	ND	no std
Thallium	EPA 200.8	0.0010	1	ND	0.002
Total Hardness as CaCO ₃	EPA 200.7	3.0	1	52	no std
Total Nitrate + Nitrite	EPA 300.0	0.10	1	0.72	10
Zinc	EPA 200.8	0.020	1	ND	5.0

GROUP III

CHEMICAL SUBSTANCE 2 (VOC)

Milligrams per Liter

1,1,1,2-Tetrachloroethane	EPA 524.2	0.00050	1	ND	no std
1,1,1-Trichloroethane	EPA 524.2	0.00050	1	ND	0.20
1,1,2,2-Tetrachloroethane	EPA 524.2	0.00050	1	ND	no std
1,1,2-Trichloroethane	EPA 524.2	0.00050	1	ND	0.005
1,1-Dichloroethane	EPA 524.2	0.00050	1	ND	no std
1,1-Dichloroethene	EPA 524.2	0.00050	1	ND	0.007
1,1-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
1,2,3-Trichlorobenzene	EPA 524.2	0.00050	1	ND	no std
1,2,3-Trichloropropane	EPA 524.2	0.00050	1	ND	no std
1,2,4-Trichlorobenzene	EPA 524.2	0.00050	1	ND	0.07
1,2,4-Trimethylbenzene	EPA 524.2	0.00050	1	ND	no std
1,2-Dichloroethane	EPA 524.2	0.00050	1	ND	0.005
1,2-Dichloropropane	EPA 524.2	0.00050	1	ND	0.005

SOQ=Standard of Quality per FDA or New York

ND=Not detected at the specified limit

All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 943165

Sample Id: CBC 21 175 1302 EXP JUN 24 23 SPRING WATER 350mL
 Date Sampled: 6/28/2021

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
1,3,5-Trimethylbenzene	EPA 524.2	0.00050	1	ND	no std
1,3-Dichloropropane	EPA 524.2	0.00050	1	ND	no std
2,2-Dichloropropane	EPA 524.2	0.00050	1	ND	no std
Benzene	EPA 524.2	0.00050	1	ND	0.005
Bromobenzene	EPA 524.2	0.00050	1	ND	no std
Bromochloromethane	EPA 524.2	0.00050	1	ND	no std
Bromodichloromethane	EPA 524.2	0.00050	1	ND	no std
Bromoform	EPA 524.2	0.00050	1	ND	no std
Bromomethane	EPA 524.2	0.00050	1	ND	no std
Carbon Tetrachloride	EPA 524.2	0.00050	1	ND	0.005
Chlorobenzene	EPA 524.2	0.00050	1	ND	0.1
Chlorodibromomethane	EPA 524.2	0.00050	1	ND	no std
Chloroethane	EPA 524.2	0.00050	1	ND	no std
Chloroform (Trichloromethane)	EPA 524.2	0.00050	1	ND	no std
Chloromethane	EPA 524.2	0.00050	1	ND	no std
cis-1,2-Dichloroethylene	EPA 524.2	0.00050	1	ND	0.07
cis-1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Dibromomethane	EPA 524.2	0.00050	1	ND	no std
Dichlorodifluoromethane	EPA 524.2	0.00050	1	ND	no std
Dichloromethane (MeCl ₂)	EPA 524.2	0.00050	1	ND	0.005
Ethyl benzene	EPA 524.2	0.00050	1	ND	0.7
Fluorotrichloromethane-Freon11	EPA 524.2	0.00050	1	ND	no std
Hexachlorobutadiene	EPA 524.2	0.00050	1	ND	no std
Isopropylbenzene	EPA 524.2	0.00050	1	ND	no std
m,p-Xylenes	EPA 524.2	0.00050	1	ND	no std
m-Dichlorobenzene (1,3-DCB)	EPA 524.2	0.00050	1	ND	no std
Methyl ethyl ketone (MEK, Butanone)	EPA 524.2	0.0050	1	ND	no std
MTBE	EPA 524.2	0.00050	1	ND	no std
n-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
n-Propylbenzene	EPA 524.2	0.00050	1	ND	no std
o-Chlorotoluene	EPA 524.2	0.00050	1	ND	no std
o-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.00050	1	ND	0.6
o-Xylene	EPA 524.2	0.00050	1	ND	no std
p-Chlorotoluene	EPA 524.2	0.00050	1	ND	no std
p-Dichlorobenzene (1,4-DCB)	EPA 524.2	0.00050	1	ND	0.075

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 943165

Sample Id: CBC 21 175 1302 EXP JUN 24 23 SPRING WATER 350mL
 Date Sampled: 6/28/2021

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
p-Isopropyltoluene	EPA 524.2	0.00050	1	ND	no std
sec-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
Styrene	EPA 524.2	0.00050	1	ND	0.1
tert-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
Tetrachloroethylene (PCE)	EPA 524.2	0.00050	1	ND	0.005
Toluene	EPA 524.2	0.00050	1	ND	1
Total 1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Total THM	EPA 524.2	0.00050	1	ND	0.080
Total xylenes	EPA 524.2	0.00050	1	ND	10
trans-1,2-Dichloroethylene	EPA 524.2	0.00050	1	ND	0.1
trans-1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Trichloroethylene (TCE)	EPA 524.2	0.00050	1	ND	0.005
Trichlorotrifluoroethane(F113)	EPA 524.2	0.00050	1	ND	no std
Vinyl chloride (VC)	EPA 524.2	0.00030	1	ND	0.002
GROUP IV					
CHEMICAL SUBSTANCE 3 (NON VOC)		Milligrams per Liter			
1,2,3-Trichloropropane (TCP)	EPA 504.1	0.000020	1	ND	no std
2,3,7,8-TCDD (ug/L)	EPA 1613B	0.0000000050	1	ND	0.00000003
2,4,5-TP (Silvex)	EPA 515.4	0.00020	1	ND	0.05
2,4-D	EPA 515.4	0.00010	1	ND	0.07
3-Hydroxycarbofuran	EPA 531.2	0.00050	1	ND	no std
Alachlor (Alanex)	EPA 505	0.00010	1	ND	0.002
Aldicarb (Temik)	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfone	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfoxide	EPA 531.2	0.00050	1	ND	no std
Aldrin	EPA 505	0.000010	1	ND	no std
Atrazine	EPA 525.2	0.000050	1	ND	0.003
Baygon	EPA 531.2	0.00050	1	ND	no std
Bentazon	EPA 515.4	0.00050	1	ND	no std
Benzo(a)pyrene	EPA 525.2	0.000020	1	ND	0.0002
Butachlor	EPA 525.2	0.000050	1	ND	no std
Carbaryl	EPA 531.2	0.00050	1	ND	no std
Carbofuran	EPA 531.2	0.00050	1	ND	0.04
Chlordane	EPA 505	0.00010	1	ND	0.002
Dalapon	EPA 515.4	0.0010	1	ND	0.2

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 943165

Sample Id: CBC 21 175 1302 EXP JUN 24 23 SPRING WATER 350mL
 Date Sampled: 6/28/2021

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.00060	1	ND	0.4
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.00060	1	ND	0.006
Dibromochloropropane (DBCP)	EPA 551.1	0.000010	1	ND	0.0002
Dibromochloropropane (DBCP)	EPA 504.1	0.000010	1	ND	0.0002
Dicamba	EPA 515.4	0.00010	1	ND	no std
Dieldrin	EPA 505	0.000010	1	ND	no std
Dinoseb	EPA 515.4	0.00020	1	ND	0.007
Diquat	EPA 549.2	0.00040	1	ND	0.02
Endothall	EPA 548.1	0.0050	1	ND	0.1
Endrin	EPA 505	0.000010	1	ND	0.002
Ethylene Dibromide (EDB)	EPA 551.1	0.000010	1	ND	0.00005
Ethylene Dibromide (EDB)	EPA 504.1	0.000010	1	ND	0.00005
Glyphosate	EPA 547	0.0060	1	ND	0.7
Heptachlor	EPA 505	0.000010	1	ND	0.0004
Heptachlor Epoxide	EPA 505	0.000010	1	ND	0.0002
Hexachlorobenzene	EPA 525.2	0.000050	1	ND	0.001
Hexachlorocyclopentadiene	EPA 525.2	0.000050	1	ND	0.05
Lindane (gamma-BHC)	EPA 505	0.000010	1	ND	0.0002
Methiocarb	EPA 531.2	0.00050	1	ND	no std
Methomyl	EPA 531.2	0.00050	1	ND	no std
Methoxychlor	EPA 505	0.000050	1	ND	0.04
Metolachlor	EPA 525.2	0.000050	1	ND	no std
Metribuzin	EPA 525.2	0.000050	1	ND	no std
Oxamyl (Vydate)	EPA 531.2	0.00050	1	ND	0.2
Paraquat	EPA 549.2	0.0020	1	ND	no std
Pentachlorophenol	EPA 515.4	0.000040	1	ND	0.001
Picloram	EPA 515.4	0.00010	1	ND	0.5
Propachlor	EPA 525.2	0.000050	1	ND	no std
Simazine	EPA 525.2	0.000050	1	ND	0.004
Thiobencarb	EPA 525.2	0.00020	1	ND	no std
Total PCBs	EPA 505	0.00010	1	ND	0.0005
Toxaphene	EPA 505	0.00050	1	ND	0.003

**GROUP V
 RADIOACTIVITY**

		Picocuries per Liter			
Gross Alpha	EPA 900.0	3.0	1	ND	15

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 943165

Sample Id: CBC 21 175 1302 EXP JUN 24 23 SPRING WATER 350mL
 Date Sampled: 6/28/2021

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Gross Beta	EPA 900.0	3.0	1	4.6	50
Radium 226	Ra-226 GA	1.0	1	ND	5
Radium 228	Ra-228 GA	1.0	1	ND	5
Uranium (mg/L)	EPA 200.8	0.0010	1	ND	0.03
GROUP VIa					
BACTERIOLOGICAL		Colonies/100 mL			
E Coli Bacteria	SM 9223	1.0	1	<1	1
Total Coliform Bacteria	SM 9223	1.0	1	<1	2.2
GROUP VIb					
BACTERIOLOGICAL-HPC		Colony Forming Units per mL			
Heterotrophic Plate Count	SM 9215B	1.0	1	<1	no std
GROUP VII					
Disinfection Byproducts		Milligrams per Liter			
Bromate	EPA 317	0.0010	1	ND	0.01
Bromide	EPA 300.0	0.0050	1	0.021	no std
Chlorite	EPA 300.0	0.010	1	ND	1
D/DBP Haloacetic Acids (HAA5)	SM 6251B	0.0020	1	ND	0.06
GROUP VIII					
Residual Disinfectants		Milligrams per Liter			
Chloramines	SM 4500CL-G/HACH	0.10	1	ND	4
Chlorine Dioxide	SM 4500CLO2-D/HACH	0.24	1	ND	0.8
Total Chlorine Residual	SM 4500CL-G/HACH	0.10	1	ND	4

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Chameleon Beverage Company
Chameleon Beverage Company
6444 E 26TH ST

Report Date: 07/21/2021
Date Received: 06/28/2021
Sample No: 202106280102

Attention: Araceli Ramirez

Sample Id: CBC 21 175 1302 EXP JUN 24 23 SPRING WATER 350mL
Date Sampled: 6/28/2021

Investigation: Analysis per Title 21, Federal Code of Regulations 165.110 - California Limits

ANALYTICAL RESULTS

Parameter	Method	Reporting Limit	Result	SOQ
GROUP I				
PHYSICAL				
Apparent Color (ACU)	SM 2120B	3.0	ND ACU	15
Odor at 60 C (TON)	SM 2150B	1.0	ND TON	3
pH (Units)	4500HB/E 150	0.10	7.5	8.5
Total Dissolved Solid (TDS)	SM 2540C	10	110	500
Turbidity (NTU)	EPA 180.1	0.10	ND NTU	5
GROUP II				
CHEMICAL SUBSTANCE 1				
			Milligrams per Liter	
Aluminum	EPA 200.8	0.020	ND	0.2
Antimony	EPA 200.8	0.0010	ND	0.006
Arsenic	EPA 200.8	0.0010	ND	0.010
Barium	EPA 200.8	0.0020	0.056	2
Beryllium	EPA 200.8	0.0010	ND	0.004
Cadmium	EPA 200.8	0.00050	ND	0.005
Chloride	EPA 300.0	0.50	6.6	250
Chromium	EPA 200.8	0.0010	0.0022	0.1
Copper	EPA 200.8	0.0020	ND	1.0
Cyanide	SM 4500CN-F	0.025	ND	0.1
Fluoride	SM 4500F-C	0.050	ND	1.4
Iron	EPA 200.7	0.010	ND	0.3
Lead	EPA 200.8	0.00050	ND	0.005
Manganese	EPA 200.8	0.0020	ND	0.05
Mercury	EPA 200.8	0.00020	ND	0.002
Nickel	EPA 200.8	0.0050	ND	0.1
Nitrate-N	EPA 300.0	0.10	0.72	10
Nitrite-N	EPA 300.0	0.050	ND	1
Phenol	EPA 420.4	0.0010	ND	0.001
Selenium	EPA 200.8	0.0050	ND	0.05

SOQ=Standard of Quality per FDA or California
ND=Not detected at the specified limit
All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 943165

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Result	SOQ
Silver	EPA 200.8	0.00050	ND	0.1
Sulfate	EPA 300.0	0.50	6.2	250
Thallium	EPA 200.8	0.0010	ND	0.002
Total Nitrate + Nitrite	EPA 300.0	0.10	0.72	10
Zinc	EPA 200.8	0.020	ND	5.0
GROUP III				
CHEMICAL SUBSTANCE 2 (VOC)		Milligrams per Liter		
1,1,1-Trichloroethane	EPA 524.2	0.00050	ND	0.20
1,1,2-Trichloroethane	EPA 524.2	0.00050	ND	0.005
1,1-Dichloroethene	EPA 524.2	0.00050	ND	0.007
1,2,4-Trichlorobenzene	EPA 524.2	0.00050	ND	0.07
1,2-Dichloroethane	EPA 524.2	0.00050	ND	0.005
1,2-Dichloropropane	EPA 524.2	0.00050	ND	0.005
Benzene	EPA 524.2	0.00050	ND	0.005
Carbon Tetrachloride	EPA 524.2	0.00050	ND	0.005
Chlorobenzene	EPA 524.2	0.00050	ND	0.1
cis-1,2-Dichloroethylene	EPA 524.2	0.00050	ND	0.07
Dichloromethane (MeCl ₂)	EPA 524.2	0.00050	ND	0.005
Ethyl benzene	EPA 524.2	0.00050	ND	0.7
o-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.00050	ND	0.6
p-Dichlorobenzene (1,4-DCB)	EPA 524.2	0.00050	ND	0.075
Styrene	EPA 524.2	0.00050	ND	0.1
Tetrachloroethylene (PCE)	EPA 524.2	0.00050	ND	0.005
Toluene	EPA 524.2	0.00050	ND	1
Total THM	EPA 524.2	0.00050	ND	0.010
Total xylenes	EPA 524.2	0.00050	ND	10
trans-1,2-Dichloroethylene	EPA 524.2	0.00050	ND	0.1
Trichloroethylene (TCE)	EPA 524.2	0.00050	ND	0.005
Vinyl chloride (VC)	EPA 524.2	0.00030	ND	0.002
GROUP IV				
CHEMICAL SUBSTANCE 3 (NON VOC)		Milligrams per Liter		
2,3,7,8-TCDD (ug/L)	EPA 1613B	0.0000000050	ND	0.00000003
2,4,5-TP (Silvex)	EPA 515.4	0.00020	ND	0.05
2,4-D	EPA 515.4	0.00010	ND	0.07
Alachlor (Alanex)	EPA 505	0.00010	ND	0.002
Atrazine	EPA 525.2	0.000050	ND	0.003
Benzo(a)pyrene	EPA 525.2	0.000020	ND	0.0002
Carbofuran	EPA 531.2	0.00050	ND	0.04

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 943165

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Result	SOQ
Chlordane	EPA 505	0.00010	ND	0.002
Dalapon	EPA 515.4	0.0010	ND	0.2
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.00060	ND	0.4
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.00060	ND	0.006
Dibromochloropropane (DBCP)	EPA 504.1	0.000010	ND	0.0002
Dibromochloropropane (DBCP)	EPA 551.1	0.000010	ND	0.0002
Dinoseb	EPA 515.4	0.00020	ND	0.007
Diquat	EPA 549.2	0.00040	ND	0.02
Endothall	EPA 548.1	0.0050	ND	0.1
Endrin	EPA 505	0.000010	ND	0.002
Ethylene Dibromide (EDB)	EPA 551.1	0.000010	ND	0.00005
Ethylene Dibromide (EDB)	EPA 504.1	0.000010	ND	0.00005
Glyphosate	EPA 547	0.0060	ND	0.7
Heptachlor	EPA 505	0.000010	ND	0.0004
Heptachlor Epoxide	EPA 505	0.000010	ND	0.0002
Hexachlorobenzene	EPA 525.2	0.000050	ND	0.001
Hexachlorocyclopentadiene	EPA 525.2	0.000050	ND	0.05
Lindane (gamma-BHC)	EPA 505	0.000010	ND	0.0002
Methoxychlor	EPA 505	0.000050	ND	0.04
Oxamyl (Vydate)	EPA 531.2	0.00050	ND	0.2
Pentachlorophenol	EPA 515.4	0.000040	ND	0.001
Picloram	EPA 515.4	0.00010	ND	0.5
Simazine	EPA 525.2	0.000050	ND	0.004
Total PCBs	EPA 505	0.00010	ND	0.0005
Toxaphene	EPA 505	0.00050	ND	0.003
GROUP V				
RADIOACTIVITY				
		Picocuries per Liter		
Gross Alpha	EPA 900.0	3.0	ND	15
Gross Beta	EPA 900.0	3.0	4.6	50
Radium 226	Ra-226 GA	1.0	ND	5
Radium 228	Ra-228 GA	1.0	ND	5
Uranium (mg/L)	EPA 200.8	0.0010	ND	0.03
GROUP VIa				
BACTERIOLOGICAL				
		Colonies/100 mL		
E Coli Bacteria	SM 9223	1.0	<1	1
Total Coliform Bacteria	SM 9223	1.0	<1	2.2
GROUP VII				
Disinfection Byproducts				
		Milligrams per Liter		

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 943165

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Result	SOQ
Bromate	EPA 317	0.0010	ND	0.01
Chlorite	EPA 300.0	0.010	ND	1
D/DBP Haloacetic Acids (HAA5)	SM 6251B	0.0020	ND	0.06
GROUP VIII				
Residual Disinfectants		Milligrams per Liter		
Chloramines	SM 4500CL-G/HACH	0.10	ND	4
Chlorine Dioxide	SM 4500CLO2-D/HACH	0.24	ND	0.8
Total Chlorine Residual	SM 4500CL-G/HACH	0.10	ND	4

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Chameleon Beverage Company
Chameleon Beverage Company
6444 E 26TH ST

Report Date: 07/21/2021
Date Received: 06/28/2021
Sample No: 202106280102

Attention: Araceli Ramirez

Sample Id: CBC 21 175 1302 EXP JUN 24 23 SPRING WATER 350mL
Date Sampled: 6/28/2021

Investigation: Analysis per Title 21, Federal Code of Regulations 165.110 - New York Limits

ANALYTICAL RESULTS

Parameter	Method	Reporting Limit	Result	SOQ
GROUP I				
PHYSICAL				
Apparent Color (ACU)	SM 2120B	3.0	ND ACU	15
Odor at 60 C (TON)	SM 2150B	1.0	ND TON	3
pH (Units)	4500HB/E 150	0.10	7.5	8.5
Total Dissolved Solid (TDS)	SM 2540C	10	110	500
Turbidity (NTU)	EPA 180.1	0.10	ND NTU	5
GROUP II				
CHEMICAL SUBSTANCE 1				
			Milligrams per Liter	
Aluminum	EPA 200.8	0.020	ND	0.2
Antimony	EPA 200.8	0.0010	ND	0.006
Arsenic	EPA 200.8	0.0010	ND	0.010
Barium	EPA 200.8	0.0020	0.056	2
Beryllium	EPA 200.8	0.0010	ND	0.004
Cadmium	EPA 200.8	0.00050	ND	0.005
Chloride	EPA 300.0	0.50	6.6	250
Chromium	EPA 200.8	0.0010	0.0022	0.1
Copper	EPA 200.8	0.0020	ND	1.0
Cyanide	SM 4500CN-F	0.025	ND	0.1
Fluoride	SM 4500F-C	0.050	ND	1.4
Iron	EPA 200.7	0.010	ND	0.3
Lead	EPA 200.8	0.00050	ND	0.005
Manganese	EPA 200.8	0.0020	ND	0.05
Mercury	EPA 200.8	0.00020	ND	0.002
Nickel	EPA 200.8	0.0050	ND	0.1
Nitrate-N	EPA 300.0	0.10	0.72	10
Nitrite-N	EPA 300.0	0.050	ND	1
Phenol	EPA 420.4	0.0010	ND	0.001
Selenium	EPA 200.8	0.0050	ND	0.05

SOQ=Standard of Quality per FDA or New York
ND=Not detected at the specified limit
All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 943165

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Result	SOQ
Silver	EPA 200.8	0.00050	ND	0.1
Sulfate	EPA 300.0	0.50	6.2	250
Thallium	EPA 200.8	0.0010	ND	0.002
Total Nitrate + Nitrite	EPA 300.0	0.10	0.72	10
Zinc	EPA 200.8	0.020	ND	5.0
GROUP III				
CHEMICAL SUBSTANCE 2 (VOC)		Milligrams per Liter		
1,1,1-Trichloroethane	EPA 524.2	0.00050	ND	0.20
1,1,2-Trichloroethane	EPA 524.2	0.00050	ND	0.005
1,1-Dichloroethene	EPA 524.2	0.00050	ND	0.007
1,2,4-Trichlorobenzene	EPA 524.2	0.00050	ND	0.07
1,2-Dichloroethane	EPA 524.2	0.00050	ND	0.005
1,2-Dichloropropane	EPA 524.2	0.00050	ND	0.005
Benzene	EPA 524.2	0.00050	ND	0.005
Carbon Tetrachloride	EPA 524.2	0.00050	ND	0.005
Chlorobenzene	EPA 524.2	0.00050	ND	0.1
cis-1,2-Dichloroethylene	EPA 524.2	0.00050	ND	0.07
Dichloromethane (MeCl ₂)	EPA 524.2	0.00050	ND	0.005
Ethyl benzene	EPA 524.2	0.00050	ND	0.7
o-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.00050	ND	0.6
p-Dichlorobenzene (1,4-DCB)	EPA 524.2	0.00050	ND	0.075
Styrene	EPA 524.2	0.00050	ND	0.1
Tetrachloroethylene (PCE)	EPA 524.2	0.00050	ND	0.005
Toluene	EPA 524.2	0.00050	ND	1
Total THM	EPA 524.2	0.00050	ND	0.080
Total xylenes	EPA 524.2	0.00050	ND	10
trans-1,2-Dichloroethylene	EPA 524.2	0.00050	ND	0.1
Trichloroethylene (TCE)	EPA 524.2	0.00050	ND	0.005
Vinyl chloride (VC)	EPA 524.2	0.00030	ND	0.002
GROUP IV				
CHEMICAL SUBSTANCE 3 (NON VOC)		Milligrams per Liter		
2,3,7,8-TCDD (ug/L)	EPA 1613B	0.0000000050	ND	0.00000003
2,4,5-TP (Silvex)	EPA 515.4	0.00020	ND	0.05
2,4-D	EPA 515.4	0.00010	ND	0.07
Alachlor (Alanex)	EPA 505	0.00010	ND	0.002
Atrazine	EPA 525.2	0.000050	ND	0.003
Benzo(a)pyrene	EPA 525.2	0.000020	ND	0.0002
Carbofuran	EPA 531.2	0.00050	ND	0.04

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 943165

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Result	SOQ
Chlordane	EPA 505	0.00010	ND	0.002
Dalapon	EPA 515.4	0.0010	ND	0.2
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.00060	ND	0.4
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.00060	ND	0.006
Dibromochloropropane (DBCP)	EPA 504.1	0.000010	ND	0.0002
Dibromochloropropane (DBCP)	EPA 551.1	0.000010	ND	0.0002
Dinoseb	EPA 515.4	0.00020	ND	0.007
Diquat	EPA 549.2	0.00040	ND	0.02
Endothall	EPA 548.1	0.0050	ND	0.1
Endrin	EPA 505	0.000010	ND	0.002
Ethylene Dibromide (EDB)	EPA 551.1	0.000010	ND	0.00005
Ethylene Dibromide (EDB)	EPA 504.1	0.000010	ND	0.00005
Glyphosate	EPA 547	0.0060	ND	0.7
Heptachlor	EPA 505	0.000010	ND	0.0004
Heptachlor Epoxide	EPA 505	0.000010	ND	0.0002
Hexachlorobenzene	EPA 525.2	0.000050	ND	0.001
Hexachlorocyclopentadiene	EPA 525.2	0.000050	ND	0.05
Lindane (gamma-BHC)	EPA 505	0.000010	ND	0.0002
Methoxychlor	EPA 505	0.000050	ND	0.04
Oxamyl (Vydate)	EPA 531.2	0.00050	ND	0.2
Pentachlorophenol	EPA 515.4	0.000040	ND	0.001
Picloram	EPA 515.4	0.00010	ND	0.5
Simazine	EPA 525.2	0.000050	ND	0.004
Total PCBs	EPA 505	0.00010	ND	0.0005
Toxaphene	EPA 505	0.00050	ND	0.003
GROUP V				
RADIOACTIVITY			Picocuries per Liter	
Gross Alpha	EPA 900.0	3.0	ND	15
Gross Beta	EPA 900.0	3.0	4.6	50
Radium 226	Ra-226 GA	1.0	ND	5
Radium 228	Ra-228 GA	1.0	ND	5
Uranium (mg/L)	EPA 200.8	0.0010	ND	0.03
GROUP VIa				
BACTERIOLOGICAL			Colonies/100 mL	
E Coli Bacteria	SM 9223	1.0	<1	1
Total Coliform Bacteria	SM 9223	1.0	<1	2.2
GROUP VII				
Disinfection Byproducts			Milligrams per Liter	

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 943165

Report Date: 07/21/2021
 Date Received: 06/28/2021
 Sample No: 202106280102

Parameter	Method	Reporting Limit	Result	SOQ
Bromate	EPA 317	0.0010	ND	0.01
Chlorite	EPA 300.0	0.010	ND	1
D/DBP Haloacetic Acids (HAA5)	SM 6251B	0.0020	ND	0.06
GROUP VIII				
Residual Disinfectants		Milligrams per Liter		
Chloramines	SM 4500CL-G/HACH	0.10	ND	4
Chlorine Dioxide	SM 4500CLO2-D/HACH	0.24	ND	0.8
Total Chlorine Residual	SM 4500CL-G/HACH	0.10	ND	4

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory Comments

Report: 943165
Project: ANNUAL
Group: annual-50 state

Chameleon Beverage Company
Araceli Ramirez
Chameleon Beverage Company
6444 E 26TH ST
COMMERCE, CA 90040-3214
United States

Client Specific Comments

Report format not TNI (The NELAC Institute) Standard compliant, but is in client specific format.